

Message

---

**From:** Sacks, Victoria [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=598B63047CF54998BB8262BBD718C0F5-SACKS, VICT]  
**Sent:** 9/2/2021 8:49:04 PM  
**To:** Putnam, Lauren [Lauren.Putnam@arcadis.com]  
**CC:** Gravelding, Mark [Mark.Gravelding@arcadis.com]  
**Subject:** RE: LLC Revised DRAFT Revised Remedial Design Work Plan - Approved

Sure. I don't have a problem with that.  
I can re-approve on Tuesday.

Victoria

**Victoria Paris Sacks**

Remedial Project Manager  
United States Environmental Protection Agency  
290 Broadway 19th Floor, New York, NY 10007  
[sacks.victoria@epa.gov](mailto:sacks.victoria@epa.gov)  
(212) 637-4297



---

**From:** Putnam, Lauren <Lauren.Putnam@arcadis.com>  
**Sent:** Thursday, September 2, 2021 4:26 PM  
**To:** Sacks, Victoria <Sacks.Victoria@epa.gov>  
**Cc:** Gravelding, Mark <Mark.Gravelding@arcadis.com>  
**Subject:** RE: LLC Revised DRAFT Revised Remedial Design Work Plan - Approved

Thank you, Victoria, we will make the requested change and submit a final copy.

If we are able to submit the signed copy within the next day or so (likely tomorrow but at the latest Tuesday after the holiday), might I request you re-issue a formal approval so the approval date falls after the submittal date? This won't significantly change the schedule for the Preliminary (30%) Remedial Design, but will be cleaner in future documents when we have to refer back to the RDWP and associated approval.

Thanks again –  
Lauren

---

**From:** Sacks, Victoria <[Sacks.Victoria@epa.gov](mailto:Sacks.Victoria@epa.gov)>  
**Sent:** Thursday, September 2, 2021 3:59 PM  
**To:** Putnam, Lauren <[Lauren.Putnam@arcadis.com](mailto:Lauren.Putnam@arcadis.com)>  
**Cc:** Gravelding, Mark <[Mark.Gravelding@arcadis.com](mailto:Mark.Gravelding@arcadis.com)>; Singerman, Joel <[Singerman.Joel@epa.gov](mailto:Singerman.Joel@epa.gov)>; Ludmer, Margo <[ludmer.margo@epa.gov](mailto:ludmer.margo@epa.gov)>; Luo, Jacky X (DEC) <[Jacky.Luo@dec.ny.gov](mailto:Jacky.Luo@dec.ny.gov)>; Donald Hesler <[donald.hesler@dec.ny.gov](mailto:donald.hesler@dec.ny.gov)>; Alma Lowry <[alma.lowry@gmail.com](mailto:alma.lowry@gmail.com)>; Joe Heath <[jjheath1946@gmail.com](mailto:jjheath1946@gmail.com)>; Cirillo, Argie <[Cirillo.Argie@epa.gov](mailto:Cirillo.Argie@epa.gov)>  
**Subject:** LLC Revised DRAFT Revised Remedial Design Work Plan - Approved

Dear Ms. Putnam,

Thank you for resubmitting the Revised Lower Ley Creek Remedial Design Work Plan (RDWP) for the Lower Ley Creek subsite of the Onondaga Lake Superfund Site. The RDWP is hereby approved.

There is one edit. Before signing and submitting the final copy – please remove the fifth bullet on pdf p.21 (report p.12) stating “The location of SOIL-A is relatively isolated and separated from the remainder of the removal areas, and the negative impacts from additional disturbance required to remediate outweighs the benefit of removing the soil.”

The next deliverable that we anticipate is the Preliminary (30%) Remedial Design (RD) 90 days from now (**Wednesday, December 1, 2021**). Please feel free to reach out with any questions.

Sincerely,

Victoria Sacks

**Victoria Paris Sacks**

Remedial Project Manager  
United States Environmental Protection Agency  
290 Broadway 19th Floor, New York, NY 10007  
[sacks.victoria@epa.gov](mailto:sacks.victoria@epa.gov)  
(212) 637-4297



---

**From:** Putnam, Lauren <[Lauren.Putnam@arcadis.com](mailto:Lauren.Putnam@arcadis.com)>  
**Sent:** Wednesday, August 11, 2021 12:19 PM  
**To:** Sacks, Victoria <[Sacks.Victoria@epa.gov](mailto:Sacks.Victoria@epa.gov)>  
**Cc:** Gravelding, Mark <[Mark.Gravelding@arcadis.com](mailto:Mark.Gravelding@arcadis.com)>; Singerman, Joel <[Singerman.Joel@epa.gov](mailto:Singerman.Joel@epa.gov)>; Ludmer, Margo <[ludmer.margo@epa.gov](mailto:ludmer.margo@epa.gov)>; Luo, Jacky X (DEC) <[Jacky.Luo@dec.ny.gov](mailto:Jacky.Luo@dec.ny.gov)>; Donald Hesler <[donald.hesler@dec.ny.gov](mailto:donald.hesler@dec.ny.gov)>; Alma Lowry <[alma.lowry@gmail.com](mailto:alma.lowry@gmail.com)>; Joe Heath <[jjheath1946@gmail.com](mailto:jjheath1946@gmail.com)>  
**Subject:** LLC Revised DRAFT Revised Remedial Design Work Plan

Ms. Sacks,

On behalf of the Respondents to the Administrative Order on Consent for Remedial Design, please find attached the cover letter and main text for the revised DRAFT Revised Remedial Design Work Plan for the Lower Ley Creek Subsite. The compiled document as well as separate PDFs for redline/strikeout versions of the main text and Appendix A are available through WeTransfer: <https://we.tl/t-xa1cKlu66p>. The files will be deleted from the transfer site in **one week**, so please download within that timeframe. A hard copy of the draft document will be mailed to your attention for distribution to the Onondaga Nation.

Please don't hesitate to reach out with questions or comments regarding the submittal or access to the WeTransfer site.

Thank you,  
Lauren

Lauren Putnam Davenport  
Arcadis  
110 W Fayette St, Suite 300 | Syracuse, NY | 13202 | USA  
T. +1 315 671 9385  
[www.arcadis.com](http://www.arcadis.com)



---

**From:** Sacks, Victoria <[Sacks.Victoria@epa.gov](mailto:Sacks.Victoria@epa.gov)>  
**Sent:** Tuesday, July 27, 2021 5:47 PM  
**To:** Putnam, Lauren <[Lauren.Putnam@arcadis.com](mailto:Lauren.Putnam@arcadis.com)>  
**Cc:** Gravelding, Mark <[Mark.Gravelding@arcadis.com](mailto:Mark.Gravelding@arcadis.com)>; Singerman, Joel <[Singerman.Joel@epa.gov](mailto:Singerman.Joel@epa.gov)>; Ludmer, Margo <[ludmer.margo@epa.gov](mailto:ludmer.margo@epa.gov)>; Luo, Jacky X (DEC) <[Jacky.Luo@dec.ny.gov](mailto:Jacky.Luo@dec.ny.gov)>; Donald Hesler <[donald.hesler@dec.ny.gov](mailto:donald.hesler@dec.ny.gov)>; Alma Lowry <[alma.lowry@gmail.com](mailto:alma.lowry@gmail.com)>; Joe Heath <[jjheath1946@gmail.com](mailto:jjheath1946@gmail.com)>; Cirillo, Argie <[Cirillo.Argie@epa.gov](mailto:Cirillo.Argie@epa.gov)>  
**Subject:** Re: Revised Draft Lower Ley Creek RDWP (June 10, 2021)

Dear Lauren,

Thank you for the revised Draft Lower Ley Creek Remedial Design Work Plan (RDWP) submitted June 10, 2021 on behalf of the Respondents to the Administrative Order on Consent for the Remedial Design. Follow up comments are provided in the attached letter. The draft is acceptable contingent on providing the changes provided in the attached responses. Please submit an updated draft of the RDWP within 15 days (August 11, 2021). We request that you submit clean and redline/strikeout versions.

Thank you very much,

Victoria Sacks

**Victoria Paris Sacks**  
Remedial Project Manager  
United States Environmental Protection Agency  
290 Broadway 19th Floor, New York, NY 10007  
[sacks.victoria@epa.gov](mailto:sacks.victoria@epa.gov)  
(212) 637-4297



This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.